



INDUCTWARM® 130 ARTIFICIAL STONE SELECTION


XGLOSS COLLECTION




SOLID COLLECTION



NATURAL COLLECTION



WILD COLLECTION



TECH COLLECTION





STONE SPECIFICATION

- Max. temperature: 300 °C
- Max. size: 3200 x 1440 mm
- Average breaking strength: 3.9 lbs (ASTM C648)
- No effect to the following chemical substances (ASTM C650): Acetic acid, Ammonium chloride, Citric acid, Lactic acid, Phosphoric acid, Sulfamic acid, Swimming pool chemicals, Sodium hypochlorite solution, Hydrochloric acid solution, Potassium hydroxide

CLEANING

Due to its practically zero porosity, the ultra-compact Dekton® surface is highly resistant to staining in day-to-day use and from chemical products, making it ideal for use as buffet tops, both inside and out. For general cleaning, we recommend the use of Q-Action with a sponge or scouring pad. If this product is not available, the best option is to use a neutral soap and water. Although Dekton® is an extremely resistant surface, knocks should be avoided in areas which are more exposed (corners, edges, bevels etc.).

In the case of aggressive stains, either from products that are resistant to normal cleaning agents or because they have remained on the work surface without being removed, we recommend using more specific products such as: cream detergents with abrasive particles or solvents (acetone or universal solvent type). The accompanying table shows the various types of stains with their corresponding cleaning products.

Precautions

- Avoid very high temperature direct sources of heat such as fireplaces, chimneys, barbecues etc.
- Avoid direct contact with a naked flame.
- Do not carry out any form of mechanical work on the surface, such as polishing.
- Avoid using metal scouring pads.